

SAFETY DATA SHEET

SiOO:X Surface Protection Panel Industry

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Trade name SiOO:X Surface Protection Panel Industry Unique formula identifier (UFI) WP3V-VVP7-10DW-70MN 1.2. Relevant identified uses of the substance or mixture and uses advised against ▼ Relevant identified uses of the substance or mixture None known. Restricted to professional users. Uses advised against None known. 1.3. Details of the supplier of the safety data sheet ▼ Company and address Sioo WoodProtection Industry AB Von Utfallsgatan 20 415 05 Gothenburg Sweden + 46 31 42 42 62 www.sioox.com/pro E-mail info@sioox.se Revision 30/04/2024 **SDS Version** 2.0 Date of previous version 30/03/2023 (1.0) 1.4. Emergency telephone number In urgent situations: Call 112 and request the poison information centre. (24h service) In less severe situations: Call 010-456 6700 (24h service) See also section 4 "First aid measures". SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Skin Sens. 1; H317, May cause an allergic skin reaction.

Aquatic Chronic 3; H412, Harmful to aquatic life with long lasting effects.

2.2. Label elements



Hazard p	pictogram(s)
Signal w	ord
Warn	ing
Hazard s	statement(s)
May	cause an allergic skin reaction. (H317)
Harm	nful to aquatic life with long lasting effects. (H412)
Precauti	onary statement(s)
Gene	ral
-	
	ention
	void breathing mist/vapour. (P261)
	ontaminated work clothing should not be allowed out of the workplace. (P272)
	ear eye protection/protective gloves/protective clothing. (P280)
Resp	
	skin irritation or rash occurs: Get medical advice/attention. (P333+P313)
	ake off contaminated clothing and wash it before reuse. (P362+P364)
Stora	ge
-	
	posal
	spose of contents/container in accordance with local regulation
-	501) dous substances
	enzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one ion mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
	al labelling
	NP3V-VVP7-10DW-70MN
2.3. Other h	
	onal warnings
	nixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
	product does not contain any substances considered to be endocrine disruptors in accordance with the
	ia set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.
SECTION 3:	Composition/information on ingredients
3.1. Substa	nces
Not a	pplicable. This product is a mixture.

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Triethoxyoctylsilane	CAS No.: 2943-75-1	5-10%	Skin Irrit. 2, H315	
	EC No.: 220-941-2			
	REACH: 01-2119972313-39- XXXX			



	Index No.:		
1,2-benzisothiazol-3(2H)-	CAS No.: 2634-33-5	<0.05%	Acute Tox. 4, H302
one;1,2-benzisothiazolin-			Skin Irrit. 2, H315
3-one	EC No.: 220-120-9		Skin Sens. 1A, H317
	REACH: 01-2120761540-60-		Eye Dam. 1, H318
	XXXX		Acute Tox. 2, H330
			Aquatic Acute 1, H400 (M=1)
	Index No.: 613-088-00-6		Aquatic Chronic 2, H411
reaction mass of 5-chloro-	CAS No.: 55965-84-9	<0.01%	EUH071
2-methyl-2H-isothiazol-3-			Acute Tox. 3, H301
one and 2-methyl-2H-	EC No.: 611-341-5		Acute Tox. 2, H310
isothiazol-3-one (3:1)	REACH:		Skin Corr. 1C, H314 (SCL: 0.60 %)
	REACH.		Skin Irrit. 2, H315 (SCL: 0.06 %)
	Index No.: 613-167-00-5		Skin Sens. 1A, H317 (SCL: 0.0015 %)
			Eye Dam. 1, H318 (SCL: 0.60 %)
			Eye Irrit. 2, H319 (SCL: 0.06 %)
			Acute Tox. 2, H330
			Aquatic Acute 1, H400 (M=100)
			Aquatic Chronic 1, H410 (M=100)

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

_

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

▼ Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.



In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and



surrounding environment.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

No data available.

PNEC

No data available.

8.2. ▼ Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

▼ Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

▼ Respiratory Equipment

Туре	Class	Colour	Standards	
SL	P3	White	EN149	



Skin protection



Recommended	Type/Category	Standards		
Wear appropriate	-	-		8
protection clothing,				
e.g. coveralls in				
polypropylene or				
working clothes in				
cotton or polyester.				
Hand protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	
Eye protection				
Туре	Standards			
Safety glasses	EN166			
TION 9: Physical and ch				
Information on basic p Physical state Liquid Colour White Ddour / Odour thresho	physical and chemical prop	erties		
Information on basic p Physical state Liquid Colour White Odour / Odour thresho Faint	physical and chemical prop	erties		
Information on basic p Physical state Liquid Colour White Odour / Odour thresho Faint	physical and chemical prop	erties		
Information on basic p Physical state Liquid Colour White Odour / Odour thresho Faint 5H 6-7	physical and chemical prop	erties		
Information on basic p Physical state Liquid Colour White Ddour / Odour thresho Faint DH 6-7 Density (g/cm ³)	physical and chemical prop	erties		
Information on basic p Physical state Liquid Colour White Odour / Odour thresho Faint 5H 6-7 Density (g/cm ³) 0,97-1	physical and chemical prop	erties		
Information on basic p Physical state Liquid Colour White Ddour / Odour thresho Faint DH 6-7 Density (g/cm ³)	physical and chemical prop	erties		
Information on basic p Physical state Liquid Colour White Odour / Odour thresho Faint OH 6-7 Density (g/cm ³) 0,97-1 Kinematic viscosity 40-60 mPa.s	physical and chemical prop	erties		
Information on basic p Physical state Liquid Colour White Odour / Odour thresho Faint 0H 6-7 Density (g/cm ³) 0,97-1 Kinematic viscosity 40-60 mPa.s Particle characteristics	ohysical and chemical prop	erties		
Information on basic p Physical state Liquid Colour White Odour / Odour thresho Faint 6-7 Density (g/cm ³) 0,97-1 Kinematic viscosity 40-60 mPa.s Particle characteristics Does not apply to lice	ohysical and chemical prop	erties		
Information on basic p Physical state Liquid Colour White Ddour / Odour thresho Faint 0H 6-7 Density (g/cm ³) 0,97-1 Kinematic viscosity 40-60 mPa.s Particle characteristics Does not apply to lic se changes	physical and chemical prop	erties		
Information on basic p Physical state Liquid Colour White Odour / Odour thresho Faint 0H 6-7 Density (g/cm ³) 0,97-1 Kinematic viscosity 40-60 mPa.s Particle characteristics Does not apply to lic se changes Melting point/Freezing	physical and chemical prop ld quids. point (°C)			
Information on basic p Physical state Liquid Colour White Odour / Odour thresho Faint 6-7 Density (g/cm ³) 0,97-1 Kinematic viscosity 40-60 mPa.s Particle characteristics Does not apply to lic se changes Melting point/Freezing Testing not relevant	physical and chemical prop ld quids. point (°C)			
Information on basic p Physical state Liquid Colour White Ddour / Odour thresho Faint OH 6-7 Density (g/cm ³) 0,97-1 Kinematic viscosity 40-60 mPa.s Particle characteristics Does not apply to lic se changes Melting point/Freezing Testing not relevant Softening point/range (physical and chemical prop ld quids. point (°C) or not possible due to the waxes and pastes) (°C)			
Information on basic p Physical state Liquid Colour White Odour / Odour thresho Faint OH 6-7 Density (g/cm ³) 0,97-1 Kinematic viscosity 40-60 mPa.s Particle characteristics Does not apply to lic se changes Melting point/Freezing Testing not relevant Softening point/range (Does not apply to lic	physical and chemical prop ld quids. point (°C) or not possible due to the waxes and pastes) (°C)			
Information on basic p Physical state Liquid Colour White Odour / Odour threshol Faint OH 6-7 Density (g/cm ³) 0,97-1 Kinematic viscosity 40-60 mPa.s Particle characteristics Does not apply to lic se changes Melting point/Freezing Testing not relevant Softening point/range (Does not apply to lic Softening point/range (Does not apply to lic Softening point/range (physical and chemical prop ld quids. point (°C) or not possible due to the waxes and pastes) (°C)			
Information on basic p Physical state Liquid Colour White Odour / Odour thresho Faint OH 6-7 Density (g/cm ³) 0,97-1 Kinematic viscosity 40-60 mPa.s Particle characteristics Does not apply to lic se changes Melting point/Freezing Testing not relevant Softening point/range (Does not apply to lic	physical and chemical prop ld quids. point (°C) or not possible due to the waxes and pastes) (°C)			



Testing not relevant or not possible due to the nature of the product. Relative vapour density
Testing not relevant or not possible due to the nature of the product.
Decomposition temperature (°C)
Testing not relevant or not possible due to the nature of the product.
Data on fire and explosion hazards
Flash point (°C)
Testing not relevant or not possible due to the nature of the product. Flammability (°C)
Testing not relevant or not possible due to the nature of the product.
Auto-ignition temperature (°C)
Testing not relevant or not possible due to the nature of the product.
Lower and upper explosion limit (% v/v)
Testing not relevant or not possible due to the nature of the product.
Solubility
Solubility in water
Soluble
n-octanol/water coefficient (LogKow)
Testing not relevant or not possible due to the nature of the product.
Solubility in fat (g/L)
Testing not relevant or not possible due to the nature of the product.
9.2. Other information
VOC (g/L)
25
Other physical and chemical parameters
No data available.
Oxidizing properties
Testing not relevant or not possible due to the nature of the product.
SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity



Based on available data, the classification criteria are not met. Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met. Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: Ecological information

12.1. ▼Toxicity

Harmful to aquatic life with long lasting effects.

12.2. ▼ Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. ▼ Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. ▼ Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.



This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. ▼ Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

SFS Waste regulation (2020:614).

Dispose of contents/container to an approved waste disposal plant.

▼ EWC code

07 02 17 Waste containing silicones other than those mentionned in 07 02 16

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
ΙΑΤΑ	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

- People under the age of 18 shall not work with this product. This does not apply if the working task is: - performed by young people who have completed upper secondary education or equivalent education for the
- task or
- included in teaching that is located in a school premises or other place that is specially arranged for teaching, or
- included in supervisor-led internships for young people.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.



Additional information

Not applicable.

Sources

The Swedish Work Environment Authority's provisions on young peoples' work environment (AFS 2012:3). SFS Waste regulation (2020:614).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼ Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

- H301, Toxic if swallowed.
- H302, Harmful if swallowed.
- H310, Fatal in contact with skin.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H317, May cause an allergic skin reaction.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H330, Fatal if inhaled.
- H400, Very toxic to aquatic life.
- H410, Very toxic to aquatic life with long lasting effects.
- H411, Toxic to aquatic life with long lasting effects.

▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CE = Conformité Européenne (European conformity)
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EINECS = European Inventory of Existing Commercial chemical Substances
- ES = Exposure Scenario
- EUH statement = CLP-specific Hazard statement
- EuPCS = European Product Categorisation System
- EWC = European Waste Catalogue
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IARC = International Agency for Research on Cancer (IARC)
- IATA = International Air Transport Association



IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

▼ The safety data sheet is validated by

Börje Gevert

▼ Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: SE-en