

SAFETY DATA SHEET

SiOO:X Panel Colour Surface Protection Industry

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

SiOO:X Panel Colour Surface Protection Industry

Other names / Synonyms

SiOO:X Panel Colour Surface Protection 01-Cloud Grey Industry SiOO:X Panel Colour Surface Protection 02-Oyster Grey Industry SiOO:X Panel Colour Surface Protection 03-Shark Grey Industry SiOO:X Panel Colour Surface Protection 04-Fog Grey Industry

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

None known.

Restricted to professional users.

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Sioo WoodProtection Industry AB

Von Utfallsgatan 20 415 05 Gothenburg Sweden + 46 31 42 42 62

www.sioox.com/pro

E-mail

info@sioox.se

Revision

13/05/2024

SDS Version

1.0

1.4. Emergency telephone number

In urgent situations: Call 112 and request the poison information centre. (24h service) In less severe situations: Call 010-456 6700 (24h service) See also section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP).

2.2. Label elements

Hazard pictogram(s)



Not applicable.
Signal word
Not applicable.
Hazard statement(s)
Not applicable.
Precautionary statement(s)
General
-
Prevention
-
Response
-
Storage
-
Disposal
-
I tana and a single state and a

Hazardous substances

2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated

3-iodo-2-propynyl butylcarbamate;3-iodoprop-2-yn-1-yl butylcarbamate

1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional labelling

EUH208, Contains 3-iodo-2-propynyl butylcarbamate;3-iodoprop-2-yn-1-yl butylcarbamate, reaction mass of 5chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one;1,2benzisothiazolin-3-one, 2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated. May produce an allergic reaction. EUH210, Safety data sheet available on request.

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Triethoxyoctylsilane	CAS No.: 2943-75-1	1-3%	Skin Irrit. 2, H315	
	EC No.: 220-941-2			
	REACH: 01-2119972313-39- XXXX			
	Index No.:			



2,4,7,9-Tetramethyldec-5- yne-4,7-diol, ethoxylated	CAS No.: 9014-85-1 EC No.: 500-022-5 REACH: 01-2119954393-33- XXXX Index No.:	<0.25%	Skin Sens. 1B, H317 Eye Dam. 1, H318 Aquatic Chronic 3, H412
3-iodo-2-propynyl butylcarbamate;3- iodoprop-2-yn-1-yl butylcarbamate	CAS No.: 55406-53-6 EC No.: 259-627-5 REACH: 01-2120762115-60- XXXX Index No.: 616-212-00-7	<0.25%	Acute Tox. 4, H302 Skin Sens. 1, H317 Eye Dam. 1, H318 Acute Tox. 3, H331 STOT RE 1, H372 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)
1,2-benzisothiazol-3(2H)- one;1,2-benzisothiazolin- 3-one	CAS No.: 2634-33-5 EC No.: 220-120-9 REACH: 01-2120761540-60- XXXX Index No.: 613-088-00-6	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411
reaction mass of 5-chloro- 2-methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one (3:1)	CAS No.: 55965-84-9 EC No.: 611-341-5 REACH: Index No.: 613-167-00-5	<0.0015%	EUH071 Acute Tox. 3, H301 Acute Tox. 2, H310 Skin Corr. 1C, H314 (SCL: 0.60 %) Skin Irrit. 2, H315 (SCL: 0.06 %) Skin Sens. 1A, H317 (SCL: 0.0015 %) Eye Dam. 1, H318 (SCL: 0.60 %) Eye Irrit. 2, H319 (SCL: 0.06 %) Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100)

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation



Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact. Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up



Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

5 - 35°C

Incompatible materials

Bases Reducing agents Strong oxidizing agents Strong acids

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

No data available.

PNEC

No data available.

8.2. Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures



In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment. **Respiratory Equipment**

Туре	Class	Colour	Standards	
SL	P3	White	EN149	

Skin protection

Recommended	Type/Category	Standards	
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	-	Ŷ

Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	-	EN374	

Eye protection

Туре	Standards	
Safety glasses	EN166	



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Testing not relevant or not possible due to the nature of the product.

Odour / Odour threshold

None pН

Testing not relevant or not possible due to the nature of the product.



```
Density (g/cm<sup>3</sup>)
      0,9 -1,0
   Kinematic viscosity
      25-30 mm<sup>2</sup>/s
   Particle characteristics
      Does not apply to liquids.
Phase changes
   Melting point/Freezing point (°C)
      Testing not relevant or not possible due to the nature of the product.
   Softening point/range (waxes and pastes) (°C)
      Does not apply to liquids.
   Boiling point (°C)
      100
   Vapour pressure
      Testing not relevant or not possible due to the nature of the product.
   Relative vapour density
      Testing not relevant or not possible due to the nature of the product.
   Decomposition temperature (°C)
      Testing not relevant or not possible due to the nature of the product.
Data on fire and explosion hazards
   Flash point (°C)
      Testing not relevant or not possible due to the nature of the product.
   Flammability (°C)
      Testing not relevant or not possible due to the nature of the product.
   Auto-ignition temperature (°C)
      Testing not relevant or not possible due to the nature of the product.
   Lower and upper explosion limit (% v/v)
      Testing not relevant or not possible due to the nature of the product.
Solubility
   Solubility in water
      Soluble
   n-octanol/water coefficient (LogKow)
      Testing not relevant or not possible due to the nature of the product.
   Solubility in fat (g/L)
      Testing not relevant or not possible due to the nature of the product.
9.2. Other information
   VOC (q/L)
      6
   Other physical and chemical parameters
      No data available.
   Oxidizing properties
      Testing not relevant or not possible due to the nature of the product.
SECTION 10: Stability and reactivity
10.1. Reactivity
      No data available.
```

10.2. Chemical stability



The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Bases

Reducing agents

Strong oxidizing agents

Strong acids

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.



SECTION 12: Ecological information

12.1. Toxicity

- No data available.
- 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

SFS Waste regulation (2020:614).

Dispose of contents/container to an approved waste disposal plant.

EWC code

07 02 17 Waste containing silicones other than those mentionned in 07 02 16

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

This product is within scope of the regulations of transport of dangerous goods.

- 14.6. Special precautions for user
 - Not applicable.
- 14.7. Maritime transport in bulk according to IMO instruments



No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Restricted to professional users.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Additional information

Not applicable.

Sources

SFS Waste regulation (2020:614).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.

- H301, Toxic if swallowed.
- H302, Harmful if swallowed.
- H310, Fatal in contact with skin.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H317, May cause an allergic skin reaction.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H330, Fatal if inhaled.
- H331, Toxic if inhaled.
- H372, Causes damage to organs through prolonged or repeated exposure.
- H400, Very toxic to aquatic life.
- H410, Very toxic to aquatic life with long lasting effects.
- H411, Toxic to aquatic life with long lasting effects.
- H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CE = Conformité Européenne (European conformity)



	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
	CSA = Chemical Safety Assessment
	CSR = Chemical Safety Report
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EINECS = European Inventory of Existing Commercial chemical Substances
	ES = Exposure Scenario
	EUH statement = CLP-specific Hazard statement
	EuPCS = European Product Categorisation System
	EWC = European Waste Catalogue
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	GWP = Global warming potential
	IARC = International Agency for Research on Cancer (IARC)
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol
	of 1978. ("Marpol" = marine pollution)
	OECD = Organisation for Economic Co-operation and Development
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
	RRN = REACH Registration Number
	SCL = A specific concentration limit
	SVHC = Substances of Very High Concern
	STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
	STOT-SE = Specific Target Organ Toxicity - Single Exposure
	TWA = Time weighted average
	UN = United Nations
	UVBC = Unknown or variable composition, complex reaction products or of biological materials
	VOC = Volatile Organic Compound
	vPvB = Very Persistent and Very Bioaccumulative
Addi	tional information
	Not applicable.
The	safety data sheet is validated by
	Börje Gevert
Othe	•
e crie	A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a
	triangle.
	The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not
	necessarily correct for use with other chemicals/products.
	It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: SE-en